

InfinityDS™

IDS-35 • IXT-35 NEUTRAL

ARCHITECTURAL WINDOW FILM

INTERIOR



PRODUCT SPECIFICATIONS

	IDS	IXT
Visible Light Transmission	51%	50%
Total Solar Transmission	47%	47%
Total Solar Reflectance	12%	13%
Total Solar Absorbance	41%	40%
Visible Light Reflectance		
Interior	11%	11%
Exterior	14%	14%
Winter U-Value	1.06	1.04
Ultraviolet (UV) Protection	99%	99%
Glare Reduction	44%	45%
Shading Coefficient	0.68	0.68
Solar Heat Gain Coefficient	0.59	0.59
Total Solar Energy Rejection	41%	41%

Data captured using National Fenestration Rating Council's (NFRC) guidelines on single pane, nominal 1/8 inch (3mm) clear glass. Reported values are taken from representative product samples and are subject to normal manufacturing variances. Actual performance will vary based on a number of factors, including glass type and properties.

BENEFITS

- Available in Designer Series and Exterior constructions
- Low interior and exterior reflectivity creates a neutral appearance that blends nicely with most décors
- Outstanding optical clarity and glare reduction
- Blocks 41% (Designer Series) and 41% (Exterior) of the sun's energy, increasing comfort while reducing cooling costs
- Blocks 99% of the sun's damaging UV rays helping to extend the life of upholstery, carpet and window treatments.
- Manufacturer's limited warranty*

* Certain restrictions apply; see an authorized dealer for manufacturer's limited warranty details.

SunTek®
WINDOW FILMS


IDS • IXT NEUTRAL

InfinityDS™

IDS-35 • IXT-35 NEUTRAL

ARCHITECTURAL WINDOW FILM

EXTERIOR



ENERGY EFFICIENT

SunTek® window films can significantly improve energy savings* by reducing heat gain and helping eliminate hot spots. In fact, professionally installed SunTek® window films can help prevent up to 83% of the sun's energy from altering the internal environment of a home or office building.

ENVIRONMENTALLY FRIENDLY

All SunTek® products are environmentally friendly. SunTek® Window Films also supports environmental causes through volunteerism as well as employee and corporate donations. To learn more about our environmental efforts and for complete product information, visit our website at suntekfilms.com.

*The amount of savings will differ based on window film used and the size, construction, and geographic location of the home/building.

SunTek® Window Films
345 Beaver Creek Drive
Martinsville, VA 24112

276.632.4991
suntekfilms.com



AMERICAN SOCIETY OF
INTERIOR DESIGNERS



GMN 50185434 ©2018 Eastman Performance Films, LLC. Product brands referenced herein with a™ or ® symbol are trademarks of Eastman Chemical Company or its subsidiaries. All other trademarks are the property of their respective owners. All rights reserved. No liability is accepted for errors. 06/18.

IDS • IXT NEUTRAL

InfinityDS™

IDS-20 • IXT-20 NEUTRAL

ARCHITECTURAL WINDOW FILM

INTERIOR



PRODUCT SPECIFICATIONS

	IDS	IXT
Visible Light Transmittance	23%	22%
Total Solar Transmittance	21%	21%
Total Solar Reflectance	26%	30%
Total Solar Absorbance	53%	49%
Visible Light Reflectance		
Interior	27%	30%
Exterior	28%	27%
Winter U-Value	1.04	1.04
UV Rejected	99%	99%
Glare Reduction	74%	75%
Shading Coefficient	0.40	0.39
Solar Heat Gain Coefficient	0.35	0.34
Total Solar Energy Rejected	65%	66%

All data values are representative and are provided for comparison purposes only.

BENEFITS

- Available in Designer Series and Exterior constructions
- Low interior and exterior reflectivity creates a neutral appearance that blends nicely with most décors
- Superior optical clarity and glare reduction
- Blocks 65% (Designer Series) and 66% (Exterior) of the sun's energy, increasing comfort while reducing cooling costs
- Blocks over 99% of the sun's damaging UV rays extending the life of upholstery, carpet and window treatments
- Backed by an exclusive manufacturer's warranty

SunTek
WINDOW FILMS

IDS • IXT NEUTRAL

InfinityDS™

IDS-20 • IXT-20 NEUTRAL

ARCHITECTURAL WINDOW FILM

EXTERIOR



ENERGY EFFICIENT

SunTek® window films can significantly improve energy savings* by reducing heat gain and eliminating hot spots. In fact, professionally installed SunTek® window films can prevent up to 84% of the sun's energy from altering the internal environment of a home or office building.

ENVIRONMENTALLY FRIENDLY

All SunTek® products are environmentally friendly. As a company, SunTek® Window Films also supports environmental causes through volunteerism as well as employee and corporate donations. To learn more about our environmental efforts and for complete product information, visit our website at suntekfilms.com.

*The amount of savings will differ based on window film used and the size, construction, and geographic location of the home/building.

SunTek® Window Films
345 Beaver Creek Drive
Martinsville, VA 24112

276.632.4991
suntekfilms.com



AMERICAN SOCIETY OF
INTERIOR DESIGNERS



GMN 50185433 © 2017 Eastman Chemical Company Printed in USA

IDS • IXT NEUTRAL