# SymphonyDS™

## **SYDS-50 DUAL REFLECTIVE**

ARCHITECTURAL WINDOW FILM

INTERIOR



### **PRODUCT SPECIFICATIONS**

Visible Light Transmission	46%
Total Solar Transmission	41%
Total Solar Reflectance	12%
Total Solar Absorbance	47%
Visible Light Reflectance	
Interior	8%
Exterior	12%
Winter U-Value	1.05
Ultraviolet (UV) Protection	99%
Glare Reduction	49%
Shading Coefficient	0.64
Solar Heat Gain Coefficient	0.56
Total Solar Energy Rejection	44%

Data captured using National Fenestration Rating Council's (NFRC) guidelines on single pane, nominal 1/8 inch (3mm) clear glass. Reported values are taken from representative product samples and are subject to normal manufacturing variances. Actual performance will vary based on a number of factors, including glass type and properties.

### BENEFITS

- · Clean, natural appearance
- · Low interior reflectivity provides unaltered views
- Outstanding solar performance is ideal for areas with excessive sun exposure
- Blocks 44% of the sun's energy, increasing comfort while reducing cooling costs
- Blocks 99% of the sun's damaging UV rays helping to extend the life of upholstery, carpet and window treatments
- Backed by an exclusive manufacturer's warranty



# SymphonyDS™

# **SYDS-50 DUAL REFLECTIVE**

ARCHITECTURAL WINDOW FILM

#### EXTERIOR



## **ENERGY EFFICIENT**

SunTek® window films can significantly improve energy savings\* by reducing heat gain and helping eliminate hot spots. In fact, professionally installed SunTek® window films can help prevent up to 84% of the sun's energy from altering the internal environment of a home or office building.

### **ENVIRONMENTALLY FRIENDLY**

All SunTek® products are environmentally friendly. SunTek® Window Films also supports environmental causes through volunteerism as well as employee and corporate donations. To learn more about our environmental efforts and for complete product information, visit our website at suntekfilms.com.

\*The amount of savings will differ based on window film used and the size, construction, and geographic location of the home/building.







GMN 50185547 ©2018 Eastman Performance Films, LLC. Product brands referenced herein with a  $^{\rm tot}$  or  $^{\rm tot}$  symbol are trademarks of Eastman Chemical Company or its subsidiaries. All other trademarks are the property of their respective owners. All rights reserved. No liability is accepted for errors, 04/18,