



Standard Pro

AUTOMOTIVE WINDOW FILMS



**The Skin Cancer Foundation
recommends this product as
an effective UV protectant.**

The Skin Cancer Foundation recommends window film that blocks 99 percent or more of UVA/UVB radiation as effective sun protection. Only SunTek films with 99% or greater UV Protection (300-380nm) have earned the SCF Seal Recommendation.

	%VLT	%TSER	%VLR	%GR	%UV
STD PRO 88	81	22	9	8	98
STD PRO 50	57	28	7	35	98
STD PRO 40	39	34	6	56	98
STD PRO 35	32	36	6	64	98
STD PRO 20	19	39	6	78	99
STD PRO 15	14	41	5	84	99
STD PRO 5	4	44	5	95	99

VLT - Visible Light Transmission TSER - Total Solar Energy Rejection GR - Glare Reduction
 VLR - Visible Light Reflectance UV - Ultraviolet Protection

The solar performance data reported for SunTek® automotive window films was captured using the National Fenestration Rating Council's (NFRC) standard guidelines for window film solar performance measurement as measured on single pane, 1/4 inch (6mm), clear glass. Reported values are taken from representative product samples and are subject to normal manufacturing variances. Actual performance will vary based on a number of factors, including glass type and properties.

- Dyed charcoal construction
- Non-reflective interior and exterior appearance
- Good heat rejection, glare reduction and UV protection
- Outstanding optical clarity
- Manufacturer's lifetime limited warranty* with protection against change in color

suntekfilms.com